1.	Ples	k Panel - općenito	2
2.	Dod	avanje nove domene	3
2	.1.	Dodavanje poddomene	4
2	.2.	Dodavanje domain aliasa	4
3.	Host	ing Settings	5
4.	Mai		6
4	.1.	Webmail	8
4 4	.1.	Webmail Problem sa slanjem mailova	8 9
4 4 5.	.1. .2. Baza	Webmail Problem sa slanjem mailova podataka	8 9 0
4 4 5. 6.	.1. .2. Baza Stat	Webmail Problem sa slanjem mailova 1 podataka	8 9 0 1
4 5. 6. 7.	.1. .2. Baza Stat Zara	Webmail Problem sa slanjem mailova 1 podataka	8 9 0 1 3

1. Plesk Panel - općenito

Plesk Panel sučelje služi za upravljanje mail i web uslugama.

Adresa: https://domain.tld:8443/

(pri čemu je domain.tld naziv Vaše domene, npr. iskon.hr)

ıskon.			Logged in as Kope Testni (3040 Subscription kope-ned-ca.com	37-6392) ▼ 👼 Advisor 🕜 Help ▼ Ples
Search Q	Websites & Domains This is where you set up and manage websites.	ain Alias		2 A Databases
Files	kopo-ned.c-a.com.hr			Resource Usage
Databases Statistics	Website at 🚰 httpdocs/ IP address: 213.202.100.77	' System user: zkoponed6360hr nd Disable Description		Disk space: 0%
L Users	File Manager	Mail	Databases Add Database	18.2 MB used of 6 GB Traffic: 0%
â Account		∧ SHO	W LESS	33.1 MB/month used of Unlimited
	Web Hosting Access	FTP Access	Hosting Settings	Domains 🔨
	Let's Encrypt	Git Git	(m) PHP Settings	Register Domain Names Manage Domain Names
	IIS Settings	File Manager	Web Statistics	
	Email Addresses	Mail Settings	SSUTLS Certificates	
	Password-Protected Directories	Website Copying	Logs	
	Failed Request Tracing	Hotlink Protection	Virtual Directories	
	Bandwidth Limiting	ODBC Data Sources	ASP.NET Settings	
	Dedicated IIS Application Pool for Website	Advisor		
			plesk.com 🔊 Sogreet an Idea	

2. Dodavanje nove domene

U okviru "Websites & Domains" odaberite opciju "Add New Domain".



2 3

Na sljedećem ekranu pod "Domain Name" unesite ime Vaše domene.

Pod "Hosting type" birate želite li da domena bude otvorena kao novi web, kao prosljeđivanje na drugu domenu, ili da samo bude aktivirana za DNS administraciju.

Ako ste odabrali "Website hosting", pod "Hosting settings" unosite ime direktorija za Document root – folder u koji ćete postaviti sadržaj Vašeg weba i koji će biti javno dostupan. Jednom kad ste sve unijeli, odaberite "OK".

ıskon.		Logged in as Kopo Testni (304037-6392) + Subscription kopo-ned.c-a.com.hr → Advisor → Help + Desk
Search Q	Websites & Domains	
A Websites & Domains	Adding New Doma	ain Name
	You can register a new domain na	ame at Services portal
🚖 Mail	Domain name *	www.
Files		The website's Internet address, such as example.com.
🛢 Databases	Location of the website's files *	kopo-ned.ca.com.hr Q
-	Hosting type	Website hosting
III Statistics		Activate the DNS service
L Users		☑ Activate the mail service
🖻 Account	Hosting Settings	
	Document root *	<u>م</u>
		The path to the website home directory.
	Preferred domain *	0 www.syour_domain>
		vyour_domain> (recommended option)
		(®) None
		Select the Use (either with or without the www. preix) to which site visitors will be redirected via a SEO-safe HTTP 301 redirect.
	Secure with an SSL/TLS Cer	tificate
	Secure the domain with Let's E	ncrypt
	Let's Encrypt is a certificate autho Service.	rity (CA) that allows you to create a free SSL/TLS certificate for your domain. The certificate will be renewed automatically every month. By clicking the "Ok" button you advnowledge that you have read and agree to the Let's Encrypt Terms of
	Your Files to Copy to Hostir	g
	🔲 Enable Git support	
	If you leave Git support disabled, Alternatively, enable Git now or la	the root directories (website/application root and document root) will be created empty, and the site will display the default page in the browser. You will need to upload the files of your site to the document root using FTP or File Manager. ter (in Websites & Domains) and upload files from a Git repository.
	* Required fields	OK Cancel
		plesk.com 🔁 Suggest an Idea

2.1. Dodavanje poddomene

U okviru "Websites & Domains" odaberite opciju "Add Subdomain".

iskon	Logged in as Kopo Testri (304037-4392) • 🕢 Hein • Diack
ISKOII.	Subscription kopo-ned.ca.com.hr
Search Q	webses a unmant
Websites & Domains	Add a Subdomain
A usi	Subdomains are internet addresses for different sections of your vebste. They use your main domain name and a prefix. For example, if your domain is domain.com, a subdomain might be store.domain.com.
Mall	Subdomain name * . kopo-nedic-a.com.hr Q,
Files	Hosting Settings
Databases	Document root * 👲 /
L Statistics	The path to the website home directory.
L Users	Secure with an SSL/TLS Certificate
Account	E Secure the domain with Let's Encrypt
	Let's Encrypt & a second and applied allows you to create a new sources can be sources and and agree to the Let's Encrypt in a second and any every month, any origing the UK oution you acknowledge that you have read and agree to the Let's Encrypt in emport Sentice.
	Your Files to Copy to Hosting
	Enable Git support
	If you leave Git support disabled, the root directories (website/application root and document root) will be created empty, and the site will display the default page in the browser. You will need to upload the files of your site to the document root using FTP or File Manager. Alternatively: enable Git now or later (in Websites & Domains) and upload files from a Git repository.
	* Required fields cx Cancel

2.2. Dodavanje domain aliasa

U okviru "Websites & Domains" odaberite opciju "Add Domain Alias".

							DONTES
iskon.					Logged in as Kopo Testni (304037-6392) - Subscription kopo-ned.c-a.com.hr	🛛 Help 🕶	ples
Search Q	Websites & Domains						
🚱 Websites & Domains	Add a Domain A	Alias					
🚖 Mail	Domain alias name *	www.					
Cill Files	for the domain *	kopo-ned.c-a.com.hr	9				
-	Settings						
Databases	Synchronize DNS zone wit	th the primary domain					
d Statistics	Mail service						
L Users	✓ Web service						
Account	Redirect with the HTTP 30 When visitors open the ali primary domain. Plesk use which means the search e	1 code las's URL, they will be redirected to the URL of the es the search engine-friendly HTTP 301 redirection, engine ranking will not be split between the URLs.					
	* Required fields	OK Canel					

3. Hosting Settings

Hosting Settings sučelje Vam omogućava podešavanje hosting opcija i mogućnosti koje su dostupne za Vašu web stranicu.

ıskon.			Logged in as Kopo Testni (304037-6392) + Subscription kopo-ned.c-a.com.hr	🗑 Advisor	🕑 Help 🕶	plesk
Search Q	Websites & Domains					
Websites & Domains	Hosting Settings fo	r kopo-ned.c-a.com.hr				
▲ 11-3	This is where you configure websit	te hosting settings and select the features available for your site.				
Mall	Domain name *	www. kopo-ned.c-a.com.hr				
Files	11- March 11-	The website's domain name like example.com.				
Databases	Hosting type	Weoste [change]				
	Website status	Active [Lhange]				
III Statistics	Document root *					
L Users	Preferred domain *	I ne part to the website nome directory.				
A		© kopo-ned.c-a.com.hr				
Account		None				
		Select the URL (either with or without the www. prefix) to which site visitors will be redirected via a SEO-safe HTTP 301 redirect.				
	Security					
	To secure transactions with your s	ite, use SSL/TLS protocol, which encrypts all data and transfers it over a secure connection. To employ SSL/TLS, install an SSL/TLS certificate on the site	and then select it below.			
	SSL/TLS support					
	Permanent SEO-safe 301 redire	ect from HTTP to HTTPS				
	Certificate	Lets Encrypt kopo-ned.c-a.com.hr (kopo-ned.c-a.com.hr)				
	Web scripting and statistics					
	Specify which of the following proj	gramming and scripting languages should be interpreted, executed or otherwise processed by the web server.				
	SSI support (use SSI for *.htm,	*.html files 🔤)				
	PHP support version: 5.6.38; h	andler: FastCGI application				
	CGI support					
	Microsoft ASP support					
	Microsoft ASP.NET support (Ver	rsion 3.5.30729.4926 *)				
	Web statistics	Webalizer				
	Custom error documents					
	* Required fields	OK Apply Cancel				

4. Mail

Mail adresa se može kreirati preko Plesk Panela.



Nakon što odaberete opciju "Create Email Address", pojavit će se dodatne opcije kod kreiranja mail adrese. Također, ovdje možete promijeniti lozinku, postaviti prosljeđivanje, alias i auto-reply:

ıskon.		Logged in as Kopo Testni (304037-6392) +	sor 🕜 Help 🗸	plesk
Search Q	Mail Email Addresses			
Websites & Domains	Create Email Addr	ess		
🚖 Mail	General Forwarding Ema	Il Aliases Auto-Reply		
Files	If this email account is associated changed to the new values as wel	with an additional user (Access to the Customer Panel is enabled), the changes you make on this page affect this user's settings. Particularly, if you change the email address and password, the additional user's l.	login and passwore	l will be
Databases	Email address *	@ kopo-ned.c-a.com.hr		
III Statistics	Access to the Customer Panel Document			
上 Users	10001010	This password will be used for accessing the mallbox and for logging in to Plesk if the address is associated with an additional user.		
🖻 Account		Generate Show		
	Confirm password			
	✓ Mailbox	Default size (Unlimited)		
		O Another size KB T		
	Description in Plesk	The mailbox size cannot exceed the default size.		
	beschpton in rest			
		l.		
		The description is visible to everyone who has access to this email account.		
	* Required fields	OK Cancel		
		plesk.com 🏠 Suggest an Idea		

Nakon što kreirate adresu, ista se pojavljuje pod tabom "Mail":

ıskon.					Logged in as Kopo Testni (304037-6392) - Subscription kopo-ned.c-a.com.hr	👼 Advisor	🛛 Help 🗸	plesk
Search Q	Mail							
Websites & Domains	Sinformation: Email address pomoc@kopo-ned.c-a.c	om.hr was created.						
🚖 Mail	Email Addresser Mail Softings Mailing Lists							
🖻 Files	emain Addresses Main Sectings Maining Lists	d	and the second	alaan	llen (and lenge) as a second and second			
🛢 Databases	addresses. You can also set up protection from spam and	domains. For each email account, you can set up a I viruses, if these services are available for your acc	mailoox, a number of additional email addresses ount.	that will point to the same mai	ioox (email allases), an auto-reply, and mail to	rwarding to on	.e or several en	nali
I Statistics	승 Create Email Address 🛛 🕏 Refresh Usage Stats	🔀 Remove						Q
Literre	1 items total					Enti	ries per page: 1	10 25 100 All
⊥ Users	Email address 🔺		User		Usage			
Account	pomoc@kopo-ned.c-a.com.hr		pomoc@kopo-ned.c-a.com.hr		0 B used of Unlimited			0
			plesk.com 🔊 Suggest an Idea					

4.1. Webmail

Webmail se nalazi na stranici – webmail.domena.tld

Korisničko ime je cijela mail adresa.

Lozinka je ona koju ste odabrali prilikom kreiranja mail adrese.

Linux webmail (login):



Linux webmail (sučelje)



Uz webmail, na mail sustav se možete spojiti i mail klijentom (MS Outlook, Outlook Express, ...) koristeći sljedeće parametre:

dolazni mail server: pop.domain.tld gdje je domain.tld ime Vaše domene odlazni mail server: smtp.domain.tld (uz uključenu opciju "server requires authentication") podržani protokoli za dolaznu poštu: POP3, IMAP port za dolaznu poštu: 110 (i za Secure i za non-Secure) podržani protokoli za odlaznu poštu: SMTP

Prema početnim postavkama Vašeg mail klijenta, slanje mailova ide preko porta 25.

Ako iz bilo kojeg razloga imate poteškoća sa slanjem mailova preko porta 25 (port 25 blokiran kod pružatelja internet usluga) mailove možete slati preko porta 587 (bez enkripcije) ili 465 (uz enkripciju SSL).

4.2. Problem sa slanjem mailova

Ako imate problema sa slanjem mail poruka preko odlaznih mail poslužitelja svojih pružatelja internet usluga, savjetujemo Vam korištenje Iskon SMTP-a.

Kao korisnik Iskon hostinga imate mogućnost slanja mailova putem naših mail sustava koristeći smtp.vasa_domena.hr kao odlazni mail poslužitelj (outgoing mail server). Spajanje na naše mail sustave zahtijeva autorizaciju koja je omogućena svim korisnicima na Plesk sustavu.

Kako dio pružatelja internet usluga ima rezerviran port 25 za spajanje na svoje mail sustave, predlažemo korištenje porta 587 ili 465.

Parametri za podešavanje mail klijenta su sljedeći:

odlazni mail poslužitelj: smtp.vasa_domena.hr

uključena opcija "My outgoing server requires authentication"

port za izlaznu poštu: 587 (bez enkripcije) ili 465 (sa enkripcijom SSL)

5. Baza podataka

Administriranje MySQL/MSSQL baza podataka vrši se kroz Plesk sučelje u odjeljku 'Databases'.



U navedenom sučelju možete kreirati/brisati baze te istima dodjeljivati korisnike.

6. Statistika pristupa

Za izradu statistike pristupa web-stranicama koristimo program Webalizer. Sama statistička obrada vrši se jednom dnevno i to u ranojutarnjim satima. Slijede osnovni pojmovi za lakše razumijevanje funkcija Webalizera.

Hits predstavlja ukupan broj zahtjeva serveru za zadano razdoblje (mjesec, dan, sat i sl...).

Files su oni hitovi za koje web-server nije generirao obavijesti, kao npr. "404-Not Found requests" i "requests for pages that are already in the browsers cache".

Tip kod promatranja razlike između "hitsa" i "filesa" možete dobiti grube predodžbe o broju ponovljenih zahtjeva posjetitelja. Što je veća razlika između tih dviju veličina, više je korisnika zahtijevalo stranice koje su već keširali.

Sites je broj jedinstvenih IP adresa (hostnamea) koje šalju zahtjeve serveru. Trebalo bi pripaziti da se ti podaci ne zlorabe. Mnogi korisnici mogu pristupiti s neke stranice, također s raznih IP adresa, pa bi se broj korisnika vašeg servera trebao jednostavno kontrolirati.

Visits se javlja kada neki udaljeni korisnik (site) šalje zahtjev za stranicom na vašem serveru prvi put. Sve dok se s iste stranice primaju zahtjevi, bez prijeđenog timeout perioda, bit će smatrani istim posjetom (visitom). Ako korisnik (site) šalje zahtjev vašem serveru, i vrijeme od prošlog zahtjeva je veće od zadanog timeouta (po defaultu 30 min), posjet se ponovno evidentira (broji).

Kilobyte (KB) je 1024 bajta. Koristi se da prikaže količinu podataka koja je bila prebačena između poslužitelja (servera) i udaljenog računala na temelju podataka nađenih u logovima servera.

Site je udaljeno računalo s kojeg dolaze zahtjevi vašem serveru, i baziran je na IP adresi/hostnameu udaljenog računala.

URL – Uniform Resource Locator (jedinstveni način lociranja). Svi zahtjevi prema web-serveru moraju sadržavati URL. URL predstavlja objekt negdje na serveru koji je dostupan udaljenom korisniku ili se javlja error (ie: 404 – Not found). URL-ovi mogu biti bilo kojeg formata (HTML, audio, grafike...).

Referrers su oni URL-ovi koji vode korisnika do Vaše stranice ili uzrokuju da pretraživač (browser) zahtijeva nešto s Vašeg servera. Veliku većinu zahtjeva postavljaju Vaši vlastiti URL-ovi, pošto HTML stranice sadrže linkove prema drugim objektima, kao npr. grafičkim datotekama. Ako jedna od Vaših HTML stranica sadrži linkove prema 10 grafičkih datoteka (slika), tada će svaki zahtjev za HTML stranicom proizvesti 10 novih zahtjeva (hitsa) s referrerom označenim kao URL Vaše vlastite HTML stranice.

Search strings su dobiveni pregledavanjem referrera i traženjem poznatih uzoraka kod raznih pretraživača. Pretraživači i uzorci za pretraživanje (stringovi) mogu biti specificirani od strane korisnika bez konfiguracijske datoteke.

User agents je uobičajeni naziv za pretraživače (browsere). Internet Explorer, Mozilla Firefox, Opera, Google Chrome... su pretraživači (user agents), i svaki se na neki način predstavlja vašem serveru. Imajte svejedno na umu da mnogi pretraživači dozvoljavaju korisniku da promijeni ime servera s kojeg pristupa vašoj stranici (reported name), pa možete vidjeti falsificirano ime korisnika.

Entry/exit stranice su stranice koje se prve zahtijevaju kod pristupa (entry) i posljednje šalju zahtjev za raskidanje veze (exit). Te stranice (podaci) su proračunavane korištenjem "vizit" logike. Kada je posjet pokrenut, zahtijevana stranica se broji kao entry stranica, i svejedno koji je posljednji zahtijevani URL, broji se i kao exit stranica.

Countries je statistički prikaz koji se bazira na vršnoj domeni (com, hr, net...) zahtjevajuće stranice. Pošto danas nije uvjet da vršna domena označava neku zemlju (npr. com – SAD), taj dijagram nije u potpunosti dosljedan. Npr. .IL domene mogu biti aktivne u Izraelu, ali mogu biti locirane u SAD-u ili drugdje. Najčešće vršne domene su .COM (SAD komercijalne), .NET (mreža), .ORG (neprofitne organizacije) i .EDU (obrazovne). Velik postotak zahtjeva također bi se mogao pokazati kao nerazriješen/nepoznat, s obzirom da se za prilično velik postotak DSL i drugih korisničkih ulaza ne može razriješiti ime, tako da im ostaje samo IP adresa.

Response codes su definirani kao dio HTTP/1.1 protokola (RFC 2068). Te kodove generira web-server i induciraju dovršenje statusa svakog zahtjeva prema serveru.

7. Zaražena stranica

Ako je Vaša web stranica zaražena zloćudnim programom / kodom velika vjerojatnost je kako će posjetiteljima antivirusni program dojaviti upozorenje odnosno korisnici koji koriste Mozilla Firefox web preglednik će dobiti sljedeću poruku:

Reported Attack Page!	
This web page at www	ck pag
Attack pages try to install programs that steal private information, use your computer to attack others, or damage your system.	
Some attack pages intentionally distribute harmful software, but many are compromised without the knowledge or permission of their owners.	
Get me out of here! Why was this page blocked?	

Kako biste uklonili problem savjetujemo Vam sljedeće korake:

Provjerite Vaše lokalno računalo od zloćudnih programa;

Promijenite FTP lozinku koju koristite za upload web stranica na server u složeniju, te ju ne ostavljajte usnimljenu u FTP klijentu;

Skinite sadržaj web stranica na lokalno računalo i provjerite ga antivirusnim programom, te ga nakon toga ponovno postavite na server;

Unaprijedite Vašu web aplikaciju na najnoviju verziju;

Zatražite ponovnu provjeru web stranice na sljedećoj adresi: https://www.google.com/safebrowsing/report error/

Detaljno o zadnjem koraku možete pročitati na sljedećim stranicama:

https://www.google.com/support/webmasters/bin/answer.py?answer=45432

http://www.stopbadware.org/home/reviewinfo

http://googleonlinesecurity.blogspot.com/2008/10/malware-we-dont-need-no-stinking.html

Postoji par načina na koji netko može zaraziti web stranicu:

Na računalu preko kojega se logirate FTPom na naše servere imate program koji "pokupi" lozinku;

Web stranice sadrže greške u kodu koje omogućavaju izvršavanje raznih Code injectiona

Brute force FTP računa / lozinke, pogotovo kada je lozinka jednostavna.

Kako se Vaša web stranica nalazi na shared web hosting serveru, tako ste Vi sami odgovorni za to da Vaše lokalno računalo nije zaraženo zloćudnim programima, da nemate greške u kodu web stranica te da koristite složenije lozinke za FTP pristup.

Na nama je da sve komponente web servera u potpunosti budu nadograđene najnovijim verzijama, te da sigurnost svakog korisnika ne bude ugrožena propustima drugih korisnika.

8. Let's Encrypt

Napomena:

Kako biste na Vašoj domeni mogli koristiti certifikat, potrebno je pod 'Hosting Settings' omogućiti opciju 'SSL/TLS support'

ıskon.			Logged in as Kopo Testni (304037-6392) + Subscription kopo-ned.c-a.com.hr	🕜 Help 🕶	plesk
Search Q	Websites & Domains				
🔕 Websites & Domains	Hosting Settings	for kopo-ned.c-a.com.hr			
	This is where you configure well	bsite hosting settings and select the features available for your site.			
🕿 Mail	Domain name *	www. kopo-ned.c-a.com.hr			
🖹 Files		The website's domain name like example.com.			
Databases	Hosting type	Website [Change]			
_ Decadages	Website status	Active [Change]			
di Statistics	Document root *				
L Users		The path to the website home directory.			
	Preferred domain *	www.kopo-ned.c-a.com.hr			
Account		© kopo-neo.c-a.com.nr			
		Select the URL (either with or without the www.preflx) to which site visitors will be redirected via a SEO-safe HTTP 301 redirect.			
	Security				
	To secure transactions with you	ur site, use SSL/TLS protocol, which encrypts all data and transfers it over a secure connection. To employ SSL/TLS, install an SSL/TLS certificate on the site, and then select it i	selow.		
	SSL/TLS support				
	Permanent SEO-safe 301 rec	direct from HTTP to HTTPS			
	Certificate	Lets Encrypt kopo-ned.c-a.com.hr (kopo-ned.c-a.com.hr)			
	Web scripting and statistic	D			
	Specify which of the following p	programming and scripting languages should be interpreted, executed or otherwise processed by the web server.			
	SSI support (use SSI for *.htr	m, *,html files 🗌)			
	CGI support				
	Microsoft ASP support				
	Microsoft ASP.NET support ((Version 3.5.30729.4926 *)			
	Web statistics	Webalizer			
	Custom error documents				
	* Required fields	OK Apply Cancel			
		plesk.com 🏊 Suggest an Idea			

Kao korisnik Iskon hostinga možete koristiti besplatan certifikat za osiguravanje Vaše domene – Let's Encrypt

Na Plesk sučelju pod 'Websites & Domains' odaberite 'Let's Encrypt'

ıskon.			Logged in as Kop Subscription kop	o Testni (304037-6392) ↓ ⑦ Help → Plesk
Search Q Websites & Domains Mail	Websites & Domains This is where you set up and manage website	s. ⊵ Add Domain Alias	3	Databases
Files	kopo-ned.c-a.com.hr			
Databases Statistics	Website at Children Httpdocs/ IP address: 213	202.100.77 System user: zkoponed6360hr aw Suspend Disable Description		Disk space: 0%
L Users	File Manager	Mail	Database Add Database or Select Existing Database	Traffic: 0%
Account	Web Hosting Access		A SHOW LESS	View More Statistics
	Let's Encrypt	Git	💽 roung seurge (IS Settings	Domains Register Domain Names Manage Domain Names
	File Manager	Web Statistics	Email Addresses	
	Mail Settings	SSL/TLS Certificates	Password-Protected Directories	
	Hotlink Protection	Virtual Directories	Bandwidth Limiting	
	ODBC Data Sources	ASP.NET Settings	Dedicated IIS Application Pool for Website	
			plesk.com 🍋 Suggest an Idea	

Upišite e-mail adresu na koju želite da Vam dolaze obavijesti za sami certifikat te potvrdite s 'Install'

ıskon.				Logged in as Kopo Testni (304037-6392) - Subscription kopo-ned.c-a.com.hr	🕜 Help 🗸	plesk
Search Q	Websites & Domains					
Websites & Domains	Let's Encrypt SSL/TL	S Certificate for kopo-ned.c-a.com.hr				
🚖 Mail	Let's Encrypt is a certificate authority By clicking the "Install/Renew" butto Note: The certificate will be automat	y (CA) that allows you to create a free SSL/TLS certificate for your domain. n you acknowledge that you have read and agree to the Let's Encrypt Terms of Service. ically renewed 30 days in advance before its expiration.				
Files	Email address *	pomoc@kopo-ned.c-a.com.hr				
🛢 Databases		Make sure to use a valid email address to receive important notifications and warnings.				
III Statistics	Select what else can be secured	Include a "www" subdomain for the domain and each selected alias e.g. www.kopo-ned.c-a.com.hr				
L Users		Secure webmail on this domain Securing "mewebmail" webmail service is not supported. Configure mail settings.				
🖻 Account	* Required fields					
			resk.com / ⊇ Suggest an Idee			
		P	lesk.com Mouggest an Idea			

Nakon što je certifikat instaliran, potrebno ga je odabrati pod 'Hosting Settings' iz padajućeg izbornika 'Certificate'

ıskon.			Logged in as Kopo Testni (304037-6392) + Subscription kopo-ned.c-a.com.hr	🕐 Help 🕶	plesk
Search Q	Websites & Domains				
Websites & Domains	Hosting Settings for kopo-ned.c-a.com.hr				
Service of the servic	This is where you configure website hosting settings and select the features available for your site.				
🚖 Mail	Domain name *	www. kopo-ned.c-a.com.hr			
😁 Files		The website's domain name like example.com.			
B Databases	Hosting type	Website [Change]			
	Website status	Active [Change]			
ili Statistics	Document root *				
1 Users	weeks weeks	The path to the website home directory.			
_	Preferred domain *	www.kopo-ned.c-a.com.hr			
Account		U kopo-ned.c-a.com.hr			
		Select the URL (either with or without the www. prefix) to which site visitors will be redirected visa a SSO offer URT 201 redirect			
	Security	Leonierten wirk bechane unt in 201 Leonierte			
	To secure transactions with you	ur site, use SSL/TLS protocol, which encrypts all data and transfers it over a secure connection. To employ SSL/TLS, install an SSL/TLS certificate on the site, and then select it l	below.		
	SSL/TLS support				
	Ø Permanent SEO-safe 301 redirect from HTTP to HTTPs				
	Certificate	Lets Encrypt kopo-ned.c-a.com.hr (kopo-ned.c-a.com.hr)			
	Web scripting and statisti	8			
	Specify which of the following programming and scripting languages should be interpreted, executed or otherwise processed by the web server.				
	S5i support (use S5i for *htm, *html files))				
	CGI support				
	闭 Microsoft ASP support				
	Microsoft ASP.NET support (Version 3.3.30729.4926 ▼)				
	Web statistics	Webalizer			
	Custom error documents				
	* Required fields	OK Apply Cancel			
		plesk.com 👔 Suggest an Idea			